



# PRODUCT DATASHEET

## SPC INOMOR

Circulation Oil

---

**SPC INOMOR** circulation oil is blended from high quality, solvent-refined base stocks and enhanced with an anti-wear additive. This oil also has good thermal stability and provides good rust protection.

### PERFORMANCE STANDARDS

**SPC INOMOR** provides the following benefits:

- Good protection against rust and corrosion
- Excellent anti-wear performance
- Resistance to oxidation degradation
- Good water separation properties
- Good antifoam characteristics
- Provides improved friction characteristics resulting in lower running temperatures

### APPLICATIONS

**SPC INOMOR** is recommended for:

- Oil systems of mobile and stationary industrial equipments where an EP lubricant is specified.
- Plain and anti-friction bearings subject to heavy-duty operating conditions.
- All types of industrial gear system where an EP lubricant is required
- Circulation oil system of steel mills

## TYPICAL CHARACTERISTICS

---

### SPC INOMOR

---

ISO VG	100	220	460
Viscosity, Kinematic			
at 40 deg C, cSt	90.15	212.4	443.0
at 100 deg C, cSt	10.42	18.51	30.18
Viscosity index	97	96	97
Flash Point, COC, deg C	226	270	300
Pour point, deg C	-12	-9	-9
Specific Gravity, 15/15 deg C	0.877	0.894	0.900

---

The above figures are typical of current production and do not constitute a specification. Minor variations may occur.